

Networked System: Questionnaire

Customer Details:		
1	Company Name:	
3	Company Address:	
4	Contact Person:	
5	Work Telephone No.	
6	Cell phone No.	
7	Email Address	
8	Status of Installation <small>(Please Tick Appropriate box)</small>	1. Supply Only
		2. Supply & Installation
		3. Budgetary Estimate
Site details, location and zoning		
9	Where is the site located:	
10	What is the GPS Co-Ordinates: <small>(Supply a Google picture or plan of the perimeter line)</small>	
11	Supply a Google picture or plan of the perimeter line: <small>(Plans in .dwg or .pdf format)</small>	
12	Length of Perimeter:	
13	How many zones do you want the perimeter split up into:	
14	From the above, what do you want the approximate zone length to be:	
15	What type of detection do you want: choose one of the list:	1. Single Line Detection: Medium security or fence height up to 1.8mts
		2. Double line detection: Higher security or fence height > 1,8mts high
		3. Under dig detection: In PVC conduit about 300mm below fence line
		4. Single line and underdig detection
		5. Other please specify
16	Type of enclosure for the field Processor	1. Standard mild steel enclosure
		2. Stainless steel enclosure (Recommended for Costal Areas)
		3. PVC enclosure - indoor or protected area
17	Type of Perimeter Fence: <small>(Select the appropriate one & Supply pictures if possible)</small>	1. Panel mesh fence (Beta / Clearvu / Bestfence / SecurVu)
		2. Welded mesh fence
		3. Diamond Mesh Fence
		4. Game Fence
		5. Simple Stranded Fence
		6. Steel palisade fence
		7. Concrete palisade wall
		8. Vibracrete wall
		9. Other (Please specify)
18	What height is the fence:	
19	Do you want the gates to be monitored: Not sliding gates	
20	if Yes, how many gates are to be monitored:	

Networked System: Questionnaire

Networked Application		Detection distances more than 600 meters per a Field Processor
Connecting to the AcoustAlert field processor:		
21	Length of Perimeter: (I know we have asked this question already)	
22	Connection options for multiple field processors in order of preference	1. Fibre optic LAN infrastructure
		2. Wireless LAN infrastructure (site topography required)
		3. GSM private network within Vodacom and MTN (coverage required)
		4. GSM commander or Centurion communicator (coverage required)
23	If GSM do you have MTN or Vodacom Network coverage in the area: IF Yes, what Network?	
24	Should fibre LAN be required, will reticulation follow fence line	
25	For a fibre reticulated solution, would you do trenching or would you want this included in the quotation	
26	In the case of trenching, what is the trenching conditions	1. Soft pick able soil
		2. Rocky soil conditions
		3. Road / Tar / Concrete
27	In the case of trenching, would this run with the mains power reticulation detailed below	Y/N
Displaying and management of alarms		
28	Do you want your alarm conditions displayed locally (on site) on a graphic screen in the event of an alarm	
29	Do you want your alarm conditions automatically acknowledged or do you want a security guard to acknowledge it with a reason	
30	Do you want to manage your own system on site and draw your own reports	
31	Do you want a workstation and Monitor This will display the graphics	
32	Do you want interface from AcoustAlert detection system to go to the following:	1. CCTV system
		2. SSMS (Site Security Management System)
33	If your system is also connected to a GSM unit, who will it notify	
34	Do you want your GSM message sent to our 24H central control room in order to manage the alarm conditions	
35	Do you want your GSM message sent to any specific cell phone or email address	
36	If the alarm condition is managed on site do you want a sounder triggered when an alarm is detected	

Networked System: Questionnaire

Power options:									
37	What power option is preferred	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 5%; text-align: center;">1. 220 VAC - Single phase</td> <td style="width: 5%;"></td> </tr> <tr> <td style="width: 5%; text-align: center;">2. 380 VAC - 3 phase</td> <td style="width: 5%;"></td> </tr> <tr> <td style="width: 5%; text-align: center;">3. Solar power, solar panels, charge controller and batteries</td> <td style="width: 5%;"></td> </tr> </table>	1. 220 VAC - Single phase		2. 380 VAC - 3 phase		3. Solar power, solar panels, charge controller and batteries		
1. 220 VAC - Single phase									
2. 380 VAC - 3 phase									
3. Solar power, solar panels, charge controller and batteries									
38	Will power be supplied to the AcoustAlert field processor positions:								
39	If No..	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 5%; text-align: center;">1. Would a single supply point be available for power</td> <td style="width: 5%;"></td> </tr> <tr> <td style="width: 5%; text-align: center;">2. Will multiple power point be available, Please indicate the position of these on the site drawing</td> <td style="width: 5%;"></td> </tr> <tr> <td style="width: 5%; text-align: center;">3. Would we need to reticulate power from a point to the field processors</td> <td style="width: 5%;"></td> </tr> </table>	1. Would a single supply point be available for power		2. Will multiple power point be available, Please indicate the position of these on the site drawing		3. Would we need to reticulate power from a point to the field processors		
1. Would a single supply point be available for power									
2. Will multiple power point be available, Please indicate the position of these on the site drawing									
3. Would we need to reticulate power from a point to the field processors									
40	Should mains power reticulation follow fence line								
41	For a reticulated mains power supply, would you do trenching or would you want this included in the quotation								
42	In the case of trenching, what is the trenching conditions	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 5%; text-align: center;">1. Soft pick able soil</td> <td style="width: 5%;"></td> </tr> <tr> <td style="width: 5%; text-align: center;">2. Rocky soil conditions</td> <td style="width: 5%;"></td> </tr> <tr> <td style="width: 5%; text-align: center;">3. Road / Tar / Concrete</td> <td style="width: 5%;"></td> </tr> </table>	1. Soft pick able soil		2. Rocky soil conditions		3. Road / Tar / Concrete		
1. Soft pick able soil									
2. Rocky soil conditions									
3. Road / Tar / Concrete									
43	If solar power is preferred, do you anticipate a theft problem on site with the solar panels:								
Verifications of the Zone Alarms									
44	Thermal Camera or Day Night IR Cameras	Would you like a Proposal or Recommendation on this							
45	Other Information which you would like to supply regarding the Perimeter:								